



### **Examples of studies demonstrating “needs”: Slides 6-12**

- Avent, J., Glista, S., Wallace, S., Jackson, J., Nishioka, J., & Yip, W. (2005). Family information needs about aphasia. *Aphasiology*, 19, 3-5, 365-375
- Blonski, D., Covert, M., Gauthier, R., Monas, A., Murray, D., O'Brien, K., Mendelson, A., & Huijbregts, M., (2014). Barriers to and facilitators of access and participation in community-based exercise programmes from the perspective of adults with post-stroke aphasia. *Physiotherapy Canada*, 66 (4): 367-75.
- Brown, K. Worrall, L. Davidson, B. & Howe, T. (2010) Snapshots of success: An insider perspective on living successfully with aphasia, *Aphasiology*, 24, 1267-95.
- Brown, K. Worrall, L. Davidson, B. & Howe, T. (2011) Living successfully with aphasia: Family members share their views. *Topics in Stroke Rehabilitation*, 18 5: 536-548.
- Brown, K. Worrall, L. Davidson, B. & Howe, T. (2012) Living successfully with aphasia: A qualitative meta-analysis of the perspectives of individuals with aphasia, family members, and speech-language pathologists, *International Journal of Speech-language Pathology*, 14, 141-55.
- Grohn, B., Worrall, L., Simmons-Mackie, N., & Brown, K. (2012). The first three months post-stroke: What facilitates successfully living with aphasia? *International Journal of Speech-Language Pathology*, 14(4), 390-400.
- Grohn, B., Worrall, L., Simmons-Mackie, N., & Hudson, K. (2014). Living successfully with aphasia during the first year post stroke: A longitudinal qualitative study. *Aphasiology*, 28, 12, 1405-1425..
- Hersh, D., Sheratt, S., Howe, T., Worrall, L., Davidson, B., & Ferguson, A. (2012). An analysis of the “goal” in aphasia rehabilitation. *Aphasiology*, 26, 971-984.
- Hinckley, J.; Hasselkus, A., & Ganzfried, E. (2013). What People Living with Aphasia Think about the Availability of Aphasia Resources. *American Journal of Speech-Language Pathology*, 22, 2, S310-S317
- Howe, T., Davidson B., Worrall, L., Hersh, D., Ferguson, A., Sherratt, S., & Gilbert, J. (2012). ‘You needed to rehab . . . families as well’: family members’ own goals for aphasia rehabilitation. *International Journal of Language and Communication Disorders*, 47, 5, 511–521
- Howe TJ; Worrall LE; Hickson L (2008). Interviews with people with aphasia: environmental factors that influence their community participation. *Aphasiology*, 22 (10): 1092-120.
- Howe TJ; Worrall LE; Hickson L. (2008). Observing people with aphasia: environmental factors that influence their community participation. *Aphasiology*, 22 (6): 618-43.

- Le Dorze, G. Salois-Bellerose, E. Alepins, M., Croteau, C., & Hallé, M., (2014) A description of the personal and environmental determinants of participation several years post-stroke according to the views of people who have aphasia. *Aphasiology*, 28 (4): 421-39.
- O-Halloran, R. Grohn B., & Worrall, L. (2012). Environmental Factors That Influence Communication for Patients With a Communication Disability in Acute Hospital Stroke Units: A Qualitative Metasynthesis *Archives of Physical Medicine & Rehabilitation*, 93, Suppl 1
- Parr, S., Byng, S., Gilpin, S. & Ireland, C. (1997). *Talking About Aphasia: Living with Loss of Language After Stroke*. Buckingham, UK: Open University Press.
- Sherratt, S., Worrall, L., Pearson, C., Howe, T., Hersh, D. & Davidson, B. (2011). "Well it has to be language-related": Speech-language pathologists' goals for people with aphasia and their families. *International Journal of Speech-Language Pathology*, 13, 4, 317-28.
- Worrall L; Rose T; Howe T; McKenna K; & Hickson L (2007). Developing an evidence-base for accessibility for people with aphasia. *Aphasiology*, 21 (1): 124-36.
- Worrall, L., Sherratt, S. Rogers, P., Howe, T. Hersh, D., Ferguson, A. & Davidson, B. (2011). What people with aphasia want: Their goals according to the ICF. *Aphasiology*, 25(3), 309-322.

#### **Examples of Treatment of Multiple Domains: Slides 13-15**

- Elman, R.J. & Bernstein-Ellis, E. (1999). The efficacy of group communication treatment in adults with chronic aphasia. *Journal of Speech, Language, & Hearing Research*, 42, 411-419.
- Hoehn, B., Thelander, M., & Worsley, J. (1997). Improvement in psychological well-being of people with aphasia and their families: Evaluation of a community-based programme. *Aphasiology*, 11(7) 681-691.
- Lanyon, L., Rose, M., & Worrall, L. (2013). The efficacy of outpatient and community-based aphasia group interventions: A systematic review. *International Journal of Speech-Language Pathology*, 15, 350-374.
- Mumby, K. & Whitworth, A. (2012). Evaluating the effectiveness of intervention in long-term aphasia post-stroke: The experience from CHANT. *International Journal of Language and Communication Disorders*, 47, 4, 398-412.
- Persad, C., Wozniak, L., & Kostopoulos, E. (2013). Retrospective analysis of outcomes from two intensive comprehensive aphasia programs. *Topics in Stroke Rehabilitation*, 20 (5), 388-397.
- Rodriguez AD, Worrall L, Brown K, Grohn B, McKinnon E, Pearson C, Van Hees S, Roxbury T, Cornwell P, MacDonald A, Angwin A, Cardell E, Davidson B, & Copland DA (2013). Aphasia LIFT: Exploratory investigation of an intensive comprehensive aphasia programme. *Aphasiology*, 27(11): 1339-1361.
- Salter, K., Teasell, R., Foley, N., Allen, L. (2013). Evidence based review of stroke rehabilitation: Aphasia. [www.ebrsr.com](http://www.ebrsr.com)
- van der Gaag A, Smith L, Davis S, Moss B, Cornelius V, Laing S, & Mowles C. (2005). Therapy and support services for people with long-term stroke and aphasia and their relatives: a six-month follow-up study. *Clinical Rehabilitation*, 19(4):372-80.
- Winans-Mitrik RL, Hula WD, Dickey MW, Schumacher JG, Swoyer B, & Doyle PJ (2014). Description of an intensive residential aphasia treatment program: Rationale, clinical

processes and outcomes. *American Journal of Speech Language Pathology*, 23(2): S330-S342.

### **Examples of Treatment of Impairment: Slides 16**

#### **Lexical Retrieval**

- Antonucci S. (2009). Use of semantic feature analysis in group aphasia treatment. *Aphasiology*, 23(7-8): 854-866.
- Best W, Greenwood A, Grassly J, & Hickin J. (2008). Bridging the gap: Can impairment-based therapy for anomia have an impact at the psycho-social level? *International Journal of Language & Communication Disorders*, 43 (4): 390-407.
- Boyle, M. (2011). Discourse treatment for word retrieval impairment in aphasia: The story so far. *Aphasiology*, 25(11), 1308-1326.
- Carragher, M., Sage, K., & Conroy, P. (2013). The effects of verb retrieval therapy for people with non-fluent aphasia: Evidence from assessment tasks and conversation. *Neuropsychological Rehabilitation*, 23 (6): 846-8.
- Falconer C, & Antonucci SM (2012). Use of semantic feature analysis in group discourse treatment for aphasia: Extension and expansion. *Aphasiology*, 26(1): 64-82.
- Herbert, R. Gregory, E. & Best, W. (2014). Syntactic versus lexical therapy for anomia in acquired aphasia: differential effects on narrative and conversation. *International Journal of Language & Communication Disorders*, 49 (2), 162-73.
- Salter, K., Teasell, R., Foley, N., & Allen, L. (2013). Evidence based review of stroke rehabilitation: Aphasia. [www.ebrsr.com](http://www.ebrsr.com).

### **Examples of Treatment of Participation/Activity Domain: Slides 17-19**

- Avent J, Patterson J, Lu A, & Small K (2009). Reciprocal scaffolding treatment: A person with aphasia as clinical teacher. *Aphasiology* 23(1): 110-119.
- Cherney, L., Oehring, A., Whipple, K. Rubenstein, T., (2011). "Waiting on the words": procedures and outcomes of a drama class for individuals with aphasia. *Seminars in Speech & Language*, 32(3):229-42.
- Hinckley, J., & Carr, T. (2005). Comparing the outcomes of intensive and nonintensive aphasia treatment. *Aphasiology*. 19, 965-974.
- Hopper, T., & Holland, A. (1998). Situation-specific training for adults with aphasia: An example. *Aphasiology*, 12, 933-944.
- Lasker, J., LaPointe, L., & Kodras, J. (2005). Helping a professor with aphasia resume teaching through multimodal approaches. *Aphasiology*, 19(3/4/5), 399-410.
- Simmons-Mackie, N., Savage, M., & Worrall, L. (2014). Conversation therapy for aphasia: A qualitative review of the literature. *International Journal of Language & Communication Disorders*, 49(5), 511-26.
- Tamplin J, Baker FA, Jones B, Way A, & Lee S (2013) 'Stroke a Chord': The effect of singing in a community choir on mood and social engagement for people living with aphasia following a stroke. *Neurorehabilitation*, 32(4): 929-941.
- Wilkinson, R., & Wielaert, S. (2012), Rehabilitation targeted at everyday communication: Can we change the talk of people with aphasia and their significant others within conversation? *Archives of Physical Medicine & Rehabilitation*, 93, S70-6.

### **Examples of Treatment Targeting the Environment: Slides 20-21**

- Baxter. S. Enderby. P., & Judge, S.(2012). Interventions using high-technology communication devices: A state of the art review. *Folia Phoniatr Logop*, 64, 137–144.
- Bradley, M. & Douglas, J. (2008), Conversation Partner Training – its role in aphasia; A review of the literature. *Acquiring Knowledge in Speech, Language and Hearing*, 10, 18-21.
- Forster, A., Brown, L., Smith, J., House, A., Knapp, P., Wright, J., & Young, J. (2012). Information provision for stroke patients and their caregivers. *Cochrane Database Systematic Review*, 14;11.
- Garrett, K. & Beukelman, D. (1995). Changes in the interaction patterns of an individual with severe aphasia given three types of partner support. *Clinical Aphasiology*, 23, 237-251.
- Ho KM, Weiss SJ, Garrett KL, & Lloyd LL. (2005). The effect of remnant and pictographic books on the communicative interaction of individuals with global aphasia. *Augmentative and Alternative Communication*, 21(3): 218-232.
- Lasker. J. , LaPointe. L. , & Kodras. J. (2005). Helping a professor with aphasia resume teaching through multimodal approaches. *Aphasiology*, 19(3/4/5), 399-410.
- McKelvey ML, Dietz AR, Hux K, Weissling K, & Beukelman DR (2007). Performance of a person with chronic aphasia using personal and contextual pictures in a visual scene display prototype. *Journal of Medical Speech Language Pathology* 15(3): 305-317.
- Salter, K., Teasell, R., Foley, N., & Allen, L. (2013). Evidence based review of stroke rehabilitation: Aphasia. [www.ebrsr.com](http://www.ebrsr.com).
- Simmons-Mackie. N., Raymer. A., Armstrong. E., Holland. A., & Cherney. L. (2010). Partner training in aphasia: A systematic review. *Archives of Physical Medicine and Rehabilitation*, 91(12), 1814-37.
- Turner, S., & Whitworth, A. (2006), Conversational partner training programmes in aphasia: A review of key themes and participants' roles. *Aphasiology*, 20, 483-510.
- Wilkinson, R., & Wielaert, S. (2012), Rehabilitation targeted at everyday communication: Can we change the talk of people with aphasia and their significant others within conversation? *Archives of Physical Medicine & Rehabilitation*, 93, S70-6.
- Yasuda K, Nemoto T, Takenaka K, Mitachi M, & Kuwabara K (2007).Effectiveness of a vocabulary data file, encyclopaedia, and internet homepages in a conversation support system for people with moderate-to-severe aphasia. *Aphasiology*, 21(9): 867-882.

### **Examples of Treatment Targeting Personal/Psychosocial Factors: Slide 24**

- Corsten, S., Konradi, J., Schimpf, E., Hardering, F., & Keilmann, A. (2014). Improving quality of life in aphasia—Evidence for the effectiveness of the biographic-narrative approach. *Aphasiology*, 28 (4): 440-52.
- Kirkevold, M., Martinsen, R., Bronken, B., & Kvigne, K. (2014). Promoting psychosocial wellbeing following stroke using narratives and guided self-determination: a feasibility study. *BMC Psychology*, 2:4.
- Nichols F, Varchevker A, & Pring T. (1996). Working with people with aphasia and their families: An exploration of the use of family therapy techniques. *Aphasiology*, 10(8): 767-781.
- Thomas, S., Walker, M., Macniven, J., Haworth, H. & Lincoln, N. (2012).Communication and Low Mood (CALM): A randomized controlled trial of behavioural therapy for stroke patients with aphasia, *Clinical Rehabilitation*, 27(5):398-408.