



References

- American Stroke Association. <http://stroke.ahajournals.org/content/45/9/2836.full.pdf+html>
- American Stroke Association. <http://stroke.ahajournals.org/content/41/10/2402.full.pdf>
- Aphasia United Best Practice Recommendations. (2016) <http://www.aphasiaunited.org/wp-content/uploads/2016/05/English-aphasia-friendly-version.pdf>
- Application for the Certificate of Clinical Competence in Speech-Language Pathology (CCC-SLP) 2014 Standards. (2014). American Speech-Language Hearing Association. <http://www.asha.org/uploadedFiles/2014-SLP-CCC-Application-Standards.pdf>
- Avent, J. & Austermann, S. (2003). Reciprocal scaffolding: A context for communication treatment in aphasia. *Aphasiology*, 17(4), 397-404.
- Canadian Stroke Best Practice Recommendations. <http://www.strokebestpractices.ca/>
- Chapey, R., Duchan, J., Elman, R., Garcia, L., Kagan, A., Lyon, J., et al. (2008). Life-participation approach to aphasia: A statement of values for the future. In R. Chapey (Ed.) *Language intervention strategies in aphasia and related neurogenic communication disorders*. (5th ed., pp 279-289) Philadelphia: Lippincott Williams & Wilkins.
- Cherney, L., Babbitt, E., Semik, P. & Heinemann, A., (2011) Psychometric Properties of the Communication Confidence Rating Scale for Aphasia (CCRSA): Phase 1, *Topics in Stroke Rehabilitation*, 18:4, 352-360.
- Doyle, P., McNeil, M., Hula, W., & Mikolic, J. (2003). The Burden of Stroke Scale (BOSS) Validating patient-reported communication difficulty and associated psychological distress in stroke survivors. *Aphasiology*, 17(3), 291-304.
- Elman, R., (Ed.). (2007). *Group treatment of neurogenic communication disorders: The expert clinician's approach* (2nd Ed.). San Diego, CA: Plural.
- Hilari, K., Byng, S., Lamping, D.L. & Smith, S.C. (2003) Stroke and aphasia quality of life scale-39 (SAQOL-39) – Evaluation of acceptability, reliability, and validity. *Stroke*, 34(8), 1944-1950.
- Holland, A., (2007). Counseling/coaching in chronic aphasia: Getting on with life. *Topics in Language Disorders*, 27(4), 339-350.

- Hula, W. D., Doyle, P.J., Stone, C. A., Austermann Hula, S.N., Kellough, S., Wambaugh, J. L. Ross, K. B., Schumacher, J.G., St Jacques, A. (2015). The Aphasia Communication Outcome Measure (ACOM): Dimensionality, Item Bank Calibration, and Initial Validation. *Journal of Speech, Language and Hearing Research*, 58(3); 906-919.
- Joint Commission on Accreditation of Health Care Organizations.
<http://www.jointcommission.org/assets/1/6/roadmapforhospitalsfinalversion727.pdf>
- Kagan, A., Black, S. E., Duchan, J. F., Simmons-Mackie, N., & Square, P. (2001). Training volunteers as conversation partners using "Supported Conversation for Adults With Aphasia" (SCA): A controlled trial. *Journal of Speech Language and Hearing Research*, 44(3), 634-638.
- Kagan, A., Simmons-Mackie, N., Rowland, A., Huijbregts, M., Shumway, E., McEwen, S., et al. (2008). Counting what counts: A framework for capturing real-life outcomes of aphasia intervention. *Aphasiology*, 22(3), 258-280.
- Kagan, A., Simmons-Mackie, N., Rowland, A., Huijbregts, M., Shumway, E., McEwen, S., et al. (2010). *Assessment for Living With Aphasia*. Toronto: Aphasia Institute.
- Lomas, J., Pickard, L., Bester, S., Elbard, H., Finlayson, A., & Zoghaib, C. The Communicative Effectiveness Index: Development and Psychometric Evaluation of a Functional Communication Measure for Adult Aphasia. *Journal of Speech and Hearing Disorders*, 54, 113-124.
- LPA Project Group (2000). Life participation approaches to aphasia: A statement of values for the future. *ASHA Leader*, 3, 4-6.
- Lubinski, R., (2008). Environmental approach to adult aphasia. In R. Chapey (Ed.) *Language intervention strategies in aphasia and related neurogenic communication disorders*. (5th ed.), (pp. 319-348). Philadelphia: Lippincott Williams & Wilkins.
- McAdams, D. P., Josselson, R., & Lieblich, A. (Eds.). (2006). *Identity and story: Creating self in narrative*. Washington, DC: American Psychological Association. (pp. 3-11).
- Paul-Brown, D., Frattali, C.M., Holland, A., Thompson, C., Caperton, C. & Slater, S. (2004). *Quality of Communication Life Scale*. Rockville, MD: American Speech-Language-Hearing Association.
- Paul, D., Frattali, C., Holland, A., Thompson, C, Caperton, C & Slater, S. (2004) *Quality of Communication Life Scale*. ASHA.
- Pucciarelli, G., Buck, H. Barbaranelli, C., Savini, S., Siimeone, S., Juarez-Vela, R., Alvaro, R. & Vellone, E. (2016). Psychometric Characteristics of the Mutuality Scale in Stroke Patients and Caregivers. *Gerontologist*. 56 (5), 89-98)
- Shadden, B. (2007) "The Role of Narrative in the Life Participation Approach to Aphasia". *Topics in Language Disorders*, Volume 27(4), 324-338.
- Simmons-Mackie, N. (2008). Social approaches to aphasia intervention. In R. Chapey (Ed.) *Language intervention strategies in aphasia and related neurogenic communication disorders*. (5th ed.) (pp 290-319) Philadelphia: Lippincott Williams & Wilkins.

- Simmons-Mackie, N., & Damico J. S. (2007). Access and Social inclusion in aphasia: Interactional principles and applications. *Aphasiology*, 21, 81-97.
- Stern, R. (1997). *Visual analog mood scales manual*. Lutz, FL: Psychological Assessment Resources.
- Stern, R. (1999). Assessment of mood states in aphasia. *Seminars in Speech and language*, 20(1), 33-50.
- Willer. B., Rosenthal, M., Kreutzer, J., Gordon, W., & Rempel, R. (1993). Assessment of community integration following rehabilitation for traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 8 (2), 75–87.